



SAFETY DATA SHEET

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier **Methyl Ethyl Ketone**

Other means of identification

Product code **ADV 121-53**

Recommended use **Solvent**

Manufacturer/Importer/Supplier/Distributor information

Company name INTERNATIONAL AUTOBODY MARKETING GROUP
Address 1505 NORTH HAYDEN RD, SUITE 111
SCOTTSDALE, AZ 85257
UNITED STATES

Website www.advantagerefinish.com

Telephone 1-87-REFINISH
480.451.4451

Emergency phone number 800-424-9300 ChemTrec EMERGENCY 24 Hrs.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids Category 2

Eye irritation Category 2A

Specific target organ tox- Category 3 (Central nervous system)
icity - single exposure

GHS Label element

Hazard pictograms



Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open

Safety Data Sheet

flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ eye protection/ face protection.

Potential Health Effects

Carcinogenicity:

| | |
|--------------|---|
| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| ACGIH | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. |
| OSHA | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| NTP | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |

Emergency Overview

| | |
|----------------|--|
| Appearance | liquid |
| Colour | colourless |
| Odour | characteristic, pleasant, acetone-like |
| Hazard Summary | No information available. |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

| CAS-No. | Chemical Name | Concentration % |
|---------|---------------------|-----------------|
| 78-93-3 | Methyl ethyl ketone | 90 - 100 |

Safety Data Sheet

SECTION 4. FIRST AID MEASURES

| | |
|-------------------------|--|
| General advice | Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
| If inhaled | Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice. |
| In case of skin contact | If on skin, rinse well with water. If on clothes, remove clothes. |
| In case of eye contact | Immediately flush eye(s) with plenty of water. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. |
| If swallowed | Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. |

SECTION 5. FIREFIGHTING MEASURES

| | |
|--------------------------------------|---|
| Suitable extinguishing media | Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical |
| Unsuitable extinguishing media | High volume water jet |
| Specific hazards during firefighting | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | No hazardous combustion products are known |
| Specific extinguishing methods | Use a water spray to cool fully closed containers. |
| Further information | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. |

Safety Data Sheet

| | |
|---|---|
| Special protective equipment for firefighters | Wear self-contained breathing apparatus for fire-fighting if necessary. |
|---|---|

NFPA Flammable and Combustible Liquids Classification:
Flammable Liquid Class IB

SECTION 6. ACCIDENTAL RELEASE MEASURES

| | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
| Environmental precautions | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). |

SECTION 7. HANDLING AND STORAGE

| | |
|-------------------------|---|
| Advice on safe handling | Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under exhaust ventilation hood. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. |
|-------------------------|---|

Safety Data Sheet

Conditions for safe storage

No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully re-sealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| CAS-No. | Components | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------|---------------------|----------------------------------|--|-----------|
| 78-93-3 | Methyl ethyl ketone | TWA | 200 ppm | ACGIH |
| | | STEL | 300 ppm | ACGIH |
| | | TWA | 200 ppm 590 mg/m3 | NIOSH REL |
| | | ST | 300 ppm 885 mg/m3 | NIOSH REL |
| | | TWA | 200 ppm 590 mg/m3 | OSHA Z-1 |
| | | TWA | 200 ppm 590 mg/m3 | OSHA P0 |
| | | STEL | 300 ppm 885 mg/m3 | OSHA P0 |

Biological occupational exposure limits

| Components | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|---------------------|---------|--------------------|---------------------|---|---------------------------|--------------|
| Methyl ethyl ketone | 78-93-3 | MEK | In urine | End of shift (As soon as possible after exposure ceases) | 2 mg/l | ACGIH BEI |

Personal protective equipment

Respiratory protection

No personal respiratory protective equipment normally required.

Safety Data Sheet

| | |
|----------------------------|---|
| | In the case of vapour formation use a respirator with an approved filter. |
| Hand protection Remarks | The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Eye protection | Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. |
| Skin and body protection | impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Hygiene measures | When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|--|
| Appearance | liquid |
| Colour | colourless |
| Odour | characteristic, pleasant, acetone-like |
| Odour Threshold | No data available |
| pH | No data available |
| Freezing Point (Freezing Point) | -87 °C (-125 °F) |
| Boiling Point (Boiling point/boiling range) | 79.59 °C (175.26 °F) |
| Flash point | -7 °C (19 °F) |
| Evaporation rate | 3.6 n-Butyl Acetate 2.7 Ethyl Ether |
| Flammability (solid, gas) | No data available |

Safety Data Sheet

| | |
|--|--|
| Burning rate | No data available |
| Upper explosion limit | 11.5 %(V) |
| Lower explosion limit | 1.4 %(V) |
| Vapour pressure | 91 mmHg @ 25 °C (77 °F) 70 mmHg @ 20 °C (68 °F) |
| Relative vapour density | 2.41 @ 20 °C (68 °F) AIR=1 |
| Relative density | 0.806 @ 20 °C (68 °F) |
| Density | 0.806 g/cm ³ @ 20 °C (68 °F) 6.72 lb/gal @ 20 °C (68 °F) |
| Bulk density | No data available |
| Solubility(ies) | |
| Water solubility | partly miscible |
| Solubility in other sol- vents | Solvent: Acetone Description: soluble Solvent: Alcohol Description: soluble Solvent: Benzene Description: soluble Solvent: Ether Description: soluble |
| Partition coefficient: n- octanol/water | log Pow: 0.29 |
| Auto-ignition temperature | 404 °C |
| Thermal decomposition | No data available |
| Viscosity | |
| Viscosity, dynamic | 0.41 mPa.s |
| Viscosity, kinematic | 0.51 mm ² /s |

Safety Data Sheet

| | |
|--------------------------|--------|
| Regulatory VOC (lbs/gal) | 6.71 |
| Regulatory VOC (g/l) | 807.00 |
| Actual VOC (lbs/gal) | 6.71 |
| Actual VOC (g/l) | 807.00 |

SECTION 10. STABILITY AND REACTIVITY

| | |
|------------------------------------|--|
| Reactivity | No dangerous reaction known under conditions of normal use. |
| Chemical stability | Stable under normal conditions. |
| Possibility of hazardous reactions | Vapours may form explosive mixture with air. |
| Conditions to avoid | Heat, flames and sparks. |
| Incompatible materials | Avoid contact with: Amines Ammonia Chloroform Copper Copper alloys Halogenated compounds Nitric acid Strong oxidizing agents hydrogen peroxide isocyanates strong alkalis strong bases strong mineral acids |
| Hazardous decomposition products | carbon dioxide and carbon monoxide toxic fumes |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

78-93-3:

| | |
|---------------------------|--|
| Acute oral toxicity | LD50 (rat): 2,737 mg/kg |
| Acute inhalation toxicity | LC50 (mouse): 320 mg/l Exposure time: 4 h |
| Acute dermal toxicity | LD50 (rabbit): 6,480 mg/kg |

Safety Data Sheet

Skin corrosion/irritation

Product:

Remarks: Moderate skin irritation

Components:

78-93-3:

Species: rabbit

Exposure time: 24 h

Result: Mild skin irritation

Serious eye damage/eye irritation

Product:

Remarks: Severe eye irritation

Components:

78-93-3:

Species: rabbit

Result: Irritating to eyes.

Exposure time: 24 h

Respiratory or skin sensitisation

Components:

78-93-3:

Test Type: Buehler Test

Species: guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

78-93-3:

Genotoxicity in vitro

Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mammalian cell gene mutation assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Safety Data Sheet

| | |
|-----------------------------------|--|
| | Method: OECD Test Guideline 473 Result: negative |
| Genotoxicity in vivo | Test Type: In vivo micronucleus test Test species: mouse (male and female) Dose: 1.96 mL/kg Method: OECD Test Guideline 474 Result: negative |
| Germ cell mutagenicity-Assessment | Tests on bacterial or mammalian cell cultures did not show mutagenic effects. |

Carcinogenicity

Components:

78-93-3:

Remarks: This information is not available.

| | |
|------------------------------|---|
| Carcinogenicity - Assessment | : Not classifiable as a human carcinogen. |
|------------------------------|---|

Reproductive toxicity

Components:

78-93-3:

Effects on foetal development

Species: rat, female
Application Route: Inhalation
Dose: 400, 1000, 3000 ppm
Duration of Single Treatment: 18 d
Frequency of Treatment: 7 days/week
General Toxicity Maternal: NOAEC: 1,002 ppm
Teratogenicity: NOAEC: 1,002 ppm
Method: OECD Test Guideline 414
GLP: no

| | |
|------------------------------------|---|
| Reproductive toxicity - Assessment | Fertility classification not possible from current data. Did not show teratogenic effects in animal experiments. |
|------------------------------------|---|

STOT - single exposure

Product:

| Exposure routes: | Target Organs: | Assessment: | Remarks: |
|------------------|------------------------|-------------|----------|
| | Central nervous system | | |

Components:

78-93-3:

| Exposure routes: | Target Organs: | Assessment: | Remarks: |
|------------------|----------------|-------------|----------|
|------------------|----------------|-------------|----------|

Safety Data Sheet

| | | |
|------------|------------------------|--|
| Inhalation | Central nervous system | May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects. |
|------------|------------------------|--|

STOT - repeated exposure

Product:No data available

Components:

78-93-3:No data available

Aspiration toxicity

Product:

May be harmful if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

78-93-3:

| | |
|---|---|
| Toxicity to fish | LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: Immobilization |
| Toxicity to algae | EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 96 h |

Safety Data Sheet

Persistence and degradability

Components:

78-93-3:

| | |
|------------------|--|
| Biodegradability | Concentration: 2 mg/l Result: Readily biodegradable. Biodegradation: 98 % Exposure time: 28 d Test substance: Methylene Ketone GLP: yes Remarks: Readily biodegradable |
|------------------|--|

Bioaccumulative potential

Components:

78-93-3:

| | |
|--|---------------|
| Partition coefficient: n-octanol/water | log Pow: 2.49 |
|--|---------------|

Mobility in soil

No data available

Other adverse effects

No data available

Product:

| | |
|-----------------------------------|---|
| Regulation | 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances |
| Remarks | This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |
| Additional ecological information | No data available |

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

| | |
|---------------------|--|
| Waste from residues | Dispose of in accordance with all applicable local, state and federal regulations. |
|---------------------|--|

Safety Data Sheet

Contaminated packaging

Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1193, Methyl ethyl ketone, 3, II, Flash Point:-7 °C(19 °F)

IMDG (International Maritime Dangerous Goods): UN1193, METHYL ETHYL KETONE, 3, II

DOT (Department of Transportation): UN1193, Methyl ethyl ketone, 3, II

SECTION 15. REGULATORY INFORMATION

OSHA Hazards

Flammable liquid, Moderate skin irritant, Moderate eye irritant, Carcinogen

WHMIS Classification

B2: Flammable liquid
D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|---------------------|---------|--------------------|-----------------------------|
| Methyl ethyl ketone | 78-93-3 | 5000 | 5000 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

Fire Hazard
Acute Health Hazard
Chronic Health Hazard

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Safety Data Sheet

SARA 313

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489):

| | | |
|---------|---------------------|-------|
| 78-93-3 | Methyl ethyl ketone | 100 % |
|---------|---------------------|-------|

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

| | | |
|---------|---------------------|------------|
| 78-93-3 | Methyl ethyl ketone | 90 - 100 % |
|---------|---------------------|------------|

Pennsylvania Right To Know

| | | |
|---------|---------------------|------------|
| 78-93-3 | Methyl ethyl ketone | 90 - 100 % |
|---------|---------------------|------------|

New Jersey Right To Know

| | | |
|---------|---------------------|------------|
| 78-93-3 | Methyl ethyl ketone | 90 - 100 % |
|---------|---------------------|------------|

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

| | |
|--|---|
| Switzerland. New notified substances and declared preparations | y (positive listing) (The formulation contains substances listed on the Swiss Inventory) |
| United States TSCA Inventory | y (positive listing) (On TSCA Inventory) |
| Canadian Domestic Substances List (DSL) | y (positive listing) (All components of |

Safety Data Sheet


| | |
|---|---|
| | this product are on the Canadian DSL.) |
| Australia Inventory of Chemical Substances (AICS) | y (positive listing) (On the inventory, or in compliance with the inventory) |
| New Zealand. Inventory of Chemical Substances | y (positive listing) (On the inventory, or in compliance with the inventory) |
| Japan. ENCS - Existing and New Chemical Substances Inventory | y (positive listing) (On the inventory, or in compliance with the inventory) |
| Japan. ISHL - Inventory of Chemical Substances (METI) | y (positive listing) (On the inventory, or in compliance with the inventory) |
| Korea. Korean Existing Chemicals Inventory (KECI) | y (positive listing) (On the inventory, or in compliance with the inventory) |
| Philippines Inventory of Chemicals and Chemical Substances (PICCS) | y (positive listing) (On the inventory, or in compliance with the inventory) |
| China. Inventory of Existing Chemical Substances in China (IECSC) | y (positive listing) (On the inventory, or in compliance with the inventory) |

Safety Data Sheet

SECTION 16. OTHER INFORMATION

Version 2.1
Revision Date 06/19/2019

NFPA:



HMIS III:

| | |
|-----------------|----|
| HEALTH | 2* |
| FLAMMABILITY | 3 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 =Extreme, * = Chronic

Our Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Legacy MSDS: 100000003236

Material number:

16077055, 16073964, 16056363, 16056356, 16056357, 16056358, 16062129, 16056352, 16056351, 16056349, 16054779, 16046240, 16042921, 16025330, 16021759, 16019432, 16015617, 16014535, 16011780, 16010154, 16010153, 16003404, 753188, 744157, 744156, 744155, 743541, 737136, 732888, 71426, 105116, 89683, 710843, 554046, 554339, 554259, 710845, 710844, 699274, 675942, 659492, 659543, 609164, 604726, 602950, 573215, 554301, 554258, 554057, 554072, 546939, 547346, 56925, 55985, 55046, 106065, 105122, 104184, 89681, 72410, 88743, 73303, 56030, 72360, 56778, 72407, 55980, 88588, 105887, 88163, 88696, 104973, 55830, 105891, 56748, 106249, 105895, 105078, 72211, 57110, 158779, 503944, 500032, 20025, 20024, 20023, 20022, 20020, 20019, 20021

Key or legend to abbreviations and acronyms used in the safety data sheet

| | | | |
|-------|--|-------|--------------------------------|
| ACGIH | American Conference of Gov- ernment Industrial Hygienists | LD50 | Lethal Dose 50% |
| AICS | Australia, Inventory of Chem- | LOAEL | Lowest Observed Adverse Effect |

Safety Data Sheet

| | ical Substances | | Level |
|--------|--|--------------------------|--|
| DSL | Canada, Domestic Substances List | NFPA | National Fire Protection Agency |
| NDSL | Canada, Non-Domestic Substances List | NIOSH | National Institute for Occupational Safety & Health |
| CNS | Central Nervous System | NTP | National Toxicology Program |
| CAS | Chemical Abstract Service | NZIoC | New Zealand Inventory of Chemicals |
| EC50 | Effective Concentration | NOAEL | No Observable Adverse Effect Level |
| EC50 | Effective Concentration 50% | NOEC | No Observed Effect Concentration |
| EGEST | EOSCA Generic Exposure Scenario Tool | OSHA | Occupational Safety & Health Administration |
| EOSCA | European Oilfield Specialty Chemicals Association | PEL | Permissible Exposure Limit |
| EINECS | European Inventory of Existing Chemical Substances | PICCS | Philippines Inventory of Commercial Chemical Substances |
| MAK | Germany Maximum Concentration Values | PRNT | Presumed Not Toxic |
| GHS | Globally Harmonized System | RCRA | Resource Conservation Recovery Act |
| >= | Greater Than or Equal To | STEL | Short-term Exposure Limit |
| IC50 | Inhibition Concentration 50% | SARA | Superfund Amendments and Reauthorization Act. |
| IARC | International Agency for Research on Cancer | TLV | Threshold Limit Value |
| IECSC | Inventory of Existing Chemical Substances in China | TWA | Time Weighted Average |
| ENCS | Japan, Inventory of Existing and New Chemical Substances | TSCA | Toxic Substance Control Act |
| KECI | Korea, Existing Chemical Inventory | UVCB | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <= | Less Than or Equal To | WHMIS | Workplace Hazardous Materials Information System |
| LC50 | | Lethal Concentration 50% | |