

# SAFETY DATA SHEET

# **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product identifier Methyl Ethyl Ketone

Other means of identification

Product code ADV 121-1
Recommended use Solvent

Manufacturer/Importer/Supplier/Distributor information

Company name INTERNATIONAL AUTOBODY MARKETING GROUP

Address 1505 NORTH HAYDEN RD, SUITE 111

SCOTTSDALE, AZ 85257

**UNITED STATES** 

Website www.advantagerefinish.com

**Telephone** 1-87-REFINISH

480.451.4451

**Emergency phone number** 800-424-9300 ChemTrec EMERGENCY 24 Hrs.

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids Category 2

Eye irritation Category 2A

Specific target organ tox-

icity - single exposure

Category 3 (Central nervous system)

**GHS Label element** 

Hazard pictograms





Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements **Prevention:** 

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/

spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face

protection.

### **Potential Health Effects**

# Carcinogenicity:

**IARC** No component of this product present at levels greater

than or equal to 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC.

**ACGIH** No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by ACGIH.

**OSHA**No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

**NTP** No component of this product present at levels greater

than or equal to 0.1% is identified as a known or antici-

pated carcinogen by NTP.

# **Emergency Overview**

Appearance	liquid
Colour	colourless
Odour	characteristic, pleasant, acetone-like
Hazard Summary	No information available.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

### **Hazardous components**

CAS-No.	Chemical Name	Concentration %
78-93-3	Methyl ethyl ketone	90 - 100

### **SECTION 4. FIRST AID MEASURES**

General advice Move out of dangerous area.

Show this safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled Consult a physician after significant exposure.

If unconscious place in recovery position and seek

medical advice.

If on clothes, remove clothes.

In case of eye contact Immediately flush eye(s) with plenty of water.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Never give anything by mouth to an unconscious per-

son.

If symptoms persist, call a physician.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains

or water courses.

Hazardous combustion

products

No hazardous combustion products are known

Specific extinguishing

methods

Use a water spray to cool fully closed containers.

Further information Collect contaminated fire extinguishing water sepa-

rately. This must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regu-

lations.

For safety reasons in case of fire, cans should be

stored separately in closed containments.

Special protective equipment for firefighters

Wear self-contained breathing apparatus for fire-

fighting if necessary.

# NFPA Flammable and Combustible Liquids Classification:

Flammable Liquid Class IB

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains

inform respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regula-

tions (see section 13).

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling

Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before

use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in

the application area.

Take precautionary measures against static discharg-

es.

Provide sufficient air exchange and/or exhaust in work

rooms.

Container may be opened only under exhaust ventila-

tion hood.

Open drum carefully as content may be under pressure.

Dispose of rinse water in accordance with local and national regulations.

Conditions for safe stor-

age

No smoking.

Keep container tightly closed in a dry and well-

ventilated place.

Containers which are opened must be carefully re-

sealed and kept upright to prevent leakage.

Observe label precautions.

Electrical installations / working materials must com-

ply with the technological safety standards.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
78-93-3	Methyl ethyl ketone	TWA	200 ppm	ACGIH
		STEL	300 ppm	ACGIH
		TWA	200 ppm 590 mg/m3	NIOSH REL
		ST	300 ppm 885 mg/m3	NIOSH REL
		TWA	200 ppm 590 mg/m3	OSHA Z-1
		TWA	200 ppm 590 mg/m3	OSHA PO
		STEL	300 ppm 885 mg/m3	OSHA PO

# Biological occupational exposure limits

Components	CAS-No.	Control	Biological	Sam-	Permissi-	Basis
		parame-	specimen	pling	ble con-	
		ters		time	centration	
Methyl ethyl ketone	78-93-3	MEK	In urine	End of shift (As soon as possible after expo-	2 mg/l	ACGIH BEI
				sure		

# Personal protective equipment

Respiratory protection

No personal respiratory protective equipment normally required.

In the case of vapour formation use a respirator with

an approved filter.

Hand protection

Remarks The suitability for a specific workplace should be dis-

cussed with the producers of the protective gloves.

Eye protection Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal pro-

cessing problems.

Skin and body protection impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work

place.

Hygiene measures When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance liquid

Colour colourless

Odour characteristic, pleasant, acetone-like

Odour Threshold No data available

pH No data available

Freezing Point (Freezing

Point)

-87 °C (-125 °F)

Boiling Point (Boiling point/boiling range)

79.59 °C (175.26 °F)

Flash point -7 °C (19 °F)

Evaporation rate 3.6

n-Butyl Acetate

2.7

Ethyl Ether

Flammability (solid, gas) No data available

Burning rate No data available

Upper explosion limit 11.5 %(V)

Lower explosion limit 1.4 %(V)

Vapour pressure 91 mmHg @ 25 °C (77 °F)

70 mmHg @ 20 °C (68 °F)

Relative vapour density 2.41 @ 20 °C (68 °F)

AIR=1

Relative density 0.806 @ 20 °C (68 °F)

Density 0.806 g/cm3 @ 20 °C (68 °F)

6.72 lb/gal @ 20 °C (68 °F)

Bulk density No data available

Solubility(ies)

Water solubility partly miscible

Solubility in other sol-

vents

Solvent: Acetone

Description: soluble

Solvent: Alcohol Description: soluble

Solvent: Benzene Description: soluble

Solvent: Ether Description: soluble

Partition coefficient: n-

octanol/water

log Pow: 0.29

Auto-ignition temperature 404 °C

Thermal decomposition No data available

Viscosity

Viscosity, dynamic 0.41 mPa.s

Viscosity, kinematic 0.51 mm2/s

Regulatory VOC (lbs/gal) 6.71

Regulatory VOC (g/l) 807.00

Actual VOC (lbs/gal) 6.71

Actual VOC (g/l) 807.00

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No dangerous reaction known under conditions of

normal use.

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

Vapours may form explosive mixture with air.

Conditions to avoid Heat, flames and sparks.

> Amines Ammonia Chloroform Copper Copper alloys

Halogenated compounds

Nitric acid

Strong oxidizing agents hydrogen peroxide

isocyanates strong alkalis strong bases

strong mineral acids

Hazardous decomposition

products

carbon dioxide and carbon monoxide

toxic fumes

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

### **Components:**

78-93-3:

Acute oral toxicity LD50 (rat): 2,737 mg/kg

Acute inhalation toxicity LC50 (mouse): 320 mg/l

Exposure time: 4 h

Acute dermal toxicity LD50 (rabbit): 6,480 mg/kg

# Skin corrosion/irritation

# **Product:**

Remarks: Moderate skin irritation

### **Components:**

78-93-3:

Species: rabbit Exposure time: 24 h Result: Mild skin irritation

# Serious eye damage/eye irritation

### **Product:**

Remarks: Severe eye irritation

### **Components:**

78-93-3:

Species: rabbit

Result: Irritating to eyes. Exposure time: 24 h

# Respiratory or skin sensitisation

# **Components:**

78-93-3:

Test Type: Buehler Test Species: guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

# Germ cell mutagenicity

### **Components:**

78-93-3:

Genotoxicity in vitro Test Type: Ames test

Metabolic activation: with and without metabolic acti-

vation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mammalian cell gene mutation assay Metabolic activation: with and without metabolic acti-

vation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo Test Type: In vivo micronucleus test

Test species: mouse (male and female)

Dose: 1.96 mL/kg

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity-

Assessment

Tests on bacterial or mammalian cell cultures did not

show mutagenic effects.

# Carcinogenicity

# **Components:**

# 78-93-3:

Remarks: This information is not available.

sessment

Carcinogenicity - As- : Not classifiable as a human carcinogen.

# Reproductive toxicity

### **Components:**

### 78-93-3:

Effects on foetal devel-

opment

Species: rat, female

Application Route: Inhalation Dose: 400, 1000, 3000 ppm

Duration of Single Treatment: 18 d Frequency of Treatment: 7 days/week

General Toxicity Maternal: NOAEC: 1,002 ppm

Teratogenicity: NOAEC: 1,002 ppm Method: OECD Test Guideline 414

GLP: no

Reproductive toxicity -

Assessment

Fertility classification not possible from current data. Did not show teratogenic effects in animal experi-

ments.

### STOT - single exposure

# **Product:**

<b>Exposure routes:</b>	Target Organs:	Assessment:	Remarks:
	Central nervous		
	system		

#### Components:

78-93-3.

70 33 31				
Exposure routes:	Target Organs:	Assessment:	Remarks:	

Inhalation	Central nervous system	May cause drowsiness or dizziness.,
		The substance or mixture is classified
		as specific target
		organ toxicant, sin-
		gle exposure, cate- gory 3 with narcotic effects.

# STOT - repeated exposure

Product:No data available

### **Components:**

78-93-3:No data available

# **Aspiration toxicity**

### **Product:**

May be harmful if swallowed and enters airways.

# **Further information**

#### **Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

# Components:

78-93-3:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): >

100 mg/l

Exposure time: 96 h

Toxicity to daphnia and

Exposure time: 48 h

other aquatic inverte-

Test Type: Immobilization

brates

rese ryper immesinzación

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Toxicity to algae EC50 (Pseudokirchneriella subcapitata (green algae)):

> 100 mg/l

Exposure time: 96 h

# Persistence and degradability

### **Components:**

78-93-3:

Biodegradability Concentration: 2 mg/l

Result: Readily biodegradable.

Biodegradation: 98 % Exposure time: 28 d

Test substance: Methylethyl Ketone

GLP: yes

Remarks: Readily biodegradable

# **Bioaccumulative potential**

# **Components:**

78-93-3:

Partition coefficient: n-

octanol/water

log Pow: 2.49

### Mobility in soil

No data available

# Other adverse effects

No data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection

of Stratospheric Ozone - CAA Section 602 Class I Sub-

stances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological in-

formation

No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

Waste from residues Dispose of in accordance with all applicable local,

state and federal regulations.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty

drum.

#### **SECTION 14. TRANSPORT INFORMATION**

**IATA (International Air Transport Association)**: UN1193, Methyl ethyl ketone, 3, II, Flash Point:-7 °C(19 °F)

IMDG (International Maritime Dangerous Goods): UN1193, METHYL ETHYL KETONE, 3, II

DOT (Department of Transportation): UN1193, Methyl ethyl ketone, 3, II

# **SECTION 15. REGULATORY INFORMATION**

OSHA Hazards Flammable liquid, Moderate skin irritant, Moderate eye

irritant, Carcinogen

WHMIS Classification B2: Flammable liquid

D2B: Toxic Material Causing Other Toxic Effects

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

# **CERCLA Reportable Quantity**

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
Methyl ethyl ketone	78-93-3	5000	5000

# **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Fire Hazard

**Hazards** Acute Health Hazard

Chronic Health Hazard

**SARA 302** SARA 302: No chemicals in this material are subject

to the reporting requirements of SARA Title III,

Section 302.

#### **SARA 313**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

78-93-3

Methyl ethyl ketone

100 %

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

### **Massachusetts Right To Know**

	78-93-3	Methyl ethyl ketone	90 - 100 %		
Pennsylvania Right To Know					
	78-93-3	Methyl ethyl ketone	90 - 100 %		

# **New Jersey Right To Know**

78-93-3 Methyl ethyl ketone 90 - 100 %

#### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

(All components of

#### The components of this product are reported in the following inventories:


Switzerland. New notified substances and declared preparations	y (positive listing) (The formulation contains substances listed on the Swiss Inventory)
United States TSCA Inventory	y (positive listing) (On TSCA Invento- ry)
Canadian Domestic Substances List (DSL)	y (positive listing)

	this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ISHL - Inventory of Chemical Substances (METI)	y (positive listing) (On the inventory, or in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	y (positive listing) (On the inventory, or in compliance with the inventory)

#### **SECTION 16. OTHER INFORMATION**

Version 2.1

Revision Date 06/19/2019



#### HMIS III:

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 =Extreme, \* = Chronic

Our Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

**Legecy MSDS:** 10000003236

#### Material number:

16077055, 16073964, 16056363, 16056356, 16056357, 16056358, 16062129, 16056352, 16056351, 16056349, 16054779, 16046240, 16042921, 16025330, 16021759, 16019432, 16015617, 16014535, 16011780, 16010154, 16010153, 16003404, 753188, 744157, 744156, 744155, 743541, 737136, 732888, 71426, 105116, 89683, 710843, 554046, 554339, 554259, 710845, 710844, 699274, 675942, 659492, 659543, 609164, 604726, 602950, 573215, 554301, 554258, 554057, 554072, 546939, 547346, 56925, 55985, 55046, 106065, 105122, 104184, 89681, 72410, 88743, 73303, 56030, 72360, 56778, 72407, 55980, 88588, 105887, 88163, 88696, 104973, 55830, 105891, 56748, 106249, 105895, 105078, 72211, 57110, 158779, 503944, 500032, 20025, 20024, 20023, 20022, 20020, 20019, 20021

Key or legend to abbreviations and acronyms used in the safety data sheet					
ACGIH	American Conference of Gov-	LD50	Lethal Dose 50%		
	ernment Industrial Hygienists				
AICS	Australia, Inventory of Chem-	LOAEL	Lowest Observed Adverse Effect		

	ical Substances		Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Sub- stances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Exist- ing Chemical Substances	PICCS	Philipines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act	
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Compositon, Complex Reaction Products, and Biological Materials	
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System	
LC50		Lethal Cor	Lethal Concentration 50%	