

# SAFETY DATA SHEET

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Acetone
ADV192-16
Solvent

### Manufacturer/Importer/Supplier/Distributor information

Company name Address	INTERNATIONAL AUTOBODY MARKETING GROUP 1505 NORTH HAYDEN RD, SUITE 111 SCOTTSDALE, AZ 85257 UNITED STATES
Website	www.advantagerefinish.com
Telephone	1-87-REFINISH 480.451.4451
Emergency phone number	800-424-9300 ChemTrec EMERGENCY 24 Hrs.

### SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	Category 2
Eye irritation	Category 2A
Specific target organ tox- icity - single exposure	Category 3 (Central nervous system)
<b>GHS Label element</b> Hazard pictograms	
Signal word	Danger
Hazard statements	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P240 Ground/bond container and receiving equipment.</li> <li>P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.</li> <li>P242 Use only non-sparking tools.</li> <li>P243 Take precautionary measures against static discharge.</li> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear protective gloves/ eye protection/ face protection.</li> <li>Response:</li> <li>P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P377 + P318 II case of fire: Use dry sand, dry chemical advice/ attention.</li> <li>P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.</li> <li>Storage:</li> <li>P403 + P235 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P403 + P235 Store in a well-ventilated place. Keep cool.</li> <li>P403 + P235 Store in a well-ventilated place. Keep cool.</li> <li>P403 + P235 Store in a well-ventilated place. Keep cool.</li> <li>P405 Store locked up.</li> </ul>
Potential Health Effects	
Carcinogenicity: IARC	No component of this product propert at lovels greater
IAKU	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
ΝΤΡ	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Emergency Overview**

Appearance	liquid
Colour	Clear, Colorless
Odour	sweet, aromatic
Hazard Summary	No information available.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Substance
---------------------	-------------

### Hazardous components

CAS-No.	Chemical Name	Concentration %
67-64-1	Acetone	90 - 100

### **SECTION 4. FIRST AID MEASURES**

General advice	Move out of dangerous area. Show this safety data sheet to the doctor in attend- ance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.

	If eye irritation persists, consult a specialist.
If swallowed	Keep respiratory tract clear.
	Do NOT induce vomiting.
	Do not give milk or alcoholic beverages.
	Never give anything by mouth to an unconscious per-
	son.
	If symptoms persist, call a physician.
	Take victim immediately to hospital.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray
Unsuitable extinguishing media	High volume water jet
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or water courses. Flash back possible over considerable distance. Do not allow vapor to accumulate in low or confined areas.
Hazardous combustion products	Carbon oxides
Specific extinguishing methods	Use a water spray to cool fully closed containers.
Further information	Collect contaminated fire extinguishing water sepa- rately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing wa- ter must be disposed of in accordance with local regu- lations. For safety reasons in case of fire, cans should be stored separately in closed containments.
Special protective equip- ment for firefighters	Wear self-contained breathing apparatus for fire- fighting if necessary. Use personal protective equipment.

### NFPA Flammable and Combustible Liquids Classification:

Flammable Liquid Class IB

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precau- tions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in con- tainer for disposal according to local / national regula- tions (see section 13).

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling	<ul> <li>Avoid formation of aerosol.</li> <li>Do not breathe vapours/dust.</li> <li>Avoid exposure - obtain special instructions before use.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Container may be opened only under exhaust ventilation hood.</li> <li>Open drum carefully as content may be under pressure.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe stor- age	No smoking. Keep container tightly closed in a dry and well- ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must com- ply with the technological safety standards.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

•	• •			
CAS-No.	Components	Value type (Form of exposure)	Control parame- ters / Permissi- ble concentra- tion	Basis
67-64-1	Acetone	AWT	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm	NIOSH REL
			590 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			2,400 mg/m3	
		TWA	750 ppm	OSHA PO
			1,800 mg/m3	
		STEL	1,000 ppm	OSHA PO
			2,400 mg/m3	

## **Components with workplace control parameters**

### **Biological occupational exposure limits**

Components	CAS-No.	Control	Biological	Sam-	Permissi-	Basis
		parame-	specimen	pling	ble con-	
		ters		time	centration	
Acetone	67-64-1	Acetone	Urine	End of	50 mg/l	ACGIH
				shift	_	BEI
				(As		
				soon as		
				possible		
				after		
				expo-		
				sure		
				ceases)		

## Personal protective equipment

Respiratory protection	No personal respiratory protective equipment normally required. In the case of vapour formation use a respirator with an approved filter.
Hand protection Remarks	The suitability for a specific workplace should be dis- cussed with the producers of the protective gloves.
Eye protection	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal pro- cessing problems.

Skin and body protection	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	liquid
Colour	Clear, Colorless
Odour	sweet, aromatic
Odour Threshold	62 ppm
рН	7 @ 10 g/l 20 - 25 °C (68 - 77 °F)
Freezing Point (Melting point/range)	-95.3593.9 °C (-139.63137.0 °F)
Boiling Point (Boiling point/boiling range)	56 - 56.05 °C (133 - 132.89 °F)
Flash point	-1817 °C (-0.40 - 1 °F)
Evaporation rate	5.6 - 6.06 (Butyl Acetate = 1)
Flammability (solid, gas)	No data available
Burning rate	No data available
Upper explosion limit	2.5 - 14.30 %(V)
Lower ourlegion limit	
Lower explosion limit	2.6 %(V)
Vapour pressure	180 - 185 mmHg @ 20 °C (68 °F)
	600 mmHg @ 50 °C (122 °F)
Relative vapour density	2 @ 20 °C (68 °F) (Air = 1.0)

•	
Relative density	0.786 - 0.789 @ 20 - 25 °C (68 - 77 °F) Reference substance: (water = 1)
Density	0.790 - 0.792 g/cm3 @ 20 °C (68 °F)
Bulk density	No data available
Solubility(ies) Water solubility	completely miscible
Solubility in other sol- vents	completely soluble @ 20 °C (68 °F) Solvent: organic solvents
Partition coefficient: n- octanol/water	log Pow: -0.240.2
Auto-ignition temperature	465 - 560 °C
Thermal decomposition	No data available
Viscosity Viscosity, dynamic	0.32 - 0.33 mPa.s @ 20 °C (68 °F)
viscosity, dynamic	0.52 - 0.55 MPa.S @ 20 C (00 T)
Viscosity, kinematic	0.337 mm2/s @ 40 °C (104 °F)
Surface tension	22.8 mN/m, 20 °C
Regulatory VOC (lbs/gal)	0.00
Regulatory VOC (g/l)	0.00
Actual VOC (lbs/gal)	6.59
Actual VOC (g/l)	791.00

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	No dangerous reaction known under conditions of normal use.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No hazards to be specially mentioned.
Conditions to avoid	Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	Strong oxidizing agents

### SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

### Components:

<b>67-64-1:</b> Acute oral toxicity	LD50 (Rat): 5,800 mg/kg
Acute inhalation toxicity	LC50 (Rat): 76.0 mg/l Exposure time: 4 h
Acute dermal toxicity	LD50 : > 7,426 mg/kg

### Skin corrosion/irritation

Product:

Result: No skin irritation

### Components:

**67-64-1:** Species: Rabbit Exposure time: 24 h Method: In vivo Result: Mild skin irritation

### Serious eye damage/eye irritation

### Product:

Result: Irritating to eyes.

### Components:

**67-64-1:** Species: Rabbit Result: Irritating to eyes. Exposure time: 24 h

### Respiratory or skin sensitisation

### Components:

**67-64-1:** Test Type: Maximization test Species: Guinea pig Result: Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

## Components:

### 67-64-1: Genotoxicity in vitro Test Type: Mammalian cell gene mutation assay Test species: Mouse lymphoma cells Metabolic activation: Without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Test species: Chinese hamster ovary (CHO) Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Genotoxicity in vivo Test Type: In vivo micronucleus test Test species: Mouse Application Route: Oral Exposure time: 13 wk Dose: 5,000, 10,000, 20,000 ppm Result: negative Tests on bacterial or mammalian cell cultures did not Germ cell mutagenicity-Assessment show mutagenic effects.

### Carcinogenicity

### Components:

67-64-1:

Species: Mouse, (female) Application Route: Dermal Exposure time: 365 d (90%) or 424 d (100%) Dose: 0.1ml 90(71mg) or 100% (79mg) Frequency of Treatment: 3 times per wk NOAEL: 79

Result: did not display carcinogenic properties

Carcinogenicity - Assessment Carcinogenicity classification not possible from current data.

### **Reproductive toxicity**

### Components:

67-64-1:	
Effects on fertility	Species: Rat, male Application Route: oral Dose: 0, 5000, 10000 mg/L Frequency of Treatment: 7 days/week General Toxicity - Parent: LOAEL: 10,000 Fertility: 10,000
Effects on foetal devel- opment	Species: Rat Application Route: Inhalation Dose: 0, 440, 2200, 11000 ppm Frequency of Treatment: 7 days/week General Toxicity Maternal: NOAEC: 2,200 ppm Teratogenicity: NOAEC: 11,000 ppm Embryo-foetal toxicity: NOAEC: 2,200 ppm Method: OECD Test Guideline 414 Result: No teratogenic potential GLP: No data available
Reproductive toxicity - Assessment	No evidence of adverse effects on sexual function and fertility, or on development, based on animal experi-

ments.

## STOT - single exposure

Product:No data available

## Components:

67-64-1:

Exposure routes:	Target Organs:	Assessment:	<b>Remarks:</b>
Inhalation	Central nervous	May cause drowsi-	
	system	ness or dizziness.,	
		The substance or	
		mixture is classified	
		as specific target	
		organ toxicant, sin-	
		gle exposure, cate-	
		gory 3 with narcotic	
		effects.	

### STOT - repeated exposure

Product:No data available

### Components:

67-64-1:No data available

#### Repeated dose toxicity

### Components:

#### 67-64-1:

Species: Mouse, male NOAEL: 20000 Application Route: Oral Exposure time: 13 wk Number of exposures: daily Dose: 1250, 2500, 5000, 10000, 20000 Method: OECD Test Guideline 408 GLP: No data available

Species: Mouse, female NOAEL: 20000 LOAEL: 50000 Application Route: Oral Exposure time: 13 wk Number of exposures: daily Dose: 2500, 5000, 10000, 20000, 5000 Method: OECD Test Guideline 408 GLP: No data available

Repeated dose toxicity -Assessment Causes mild skin irritation., Causes serious eye irritation.

### Aspiration toxicity

#### Product:

May be harmful if swallowed and enters airways.

#### **Further information**

### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

# Components:

67-64-1: Toxicity to fish

	Exposure time: 48 h
Toxicity to daphnia and other aquatic inverte-brates	EC50 (Daphnia magna (Water flea)): 7,630 mg/l Exposure time: 48 h Test substance: Acetone
Toxicity to algae	Remarks: No data available
Persistence and degradal	bility
<u>Components:</u> 67-64-1:	
Biodegradabilit <b>y</b>	Remarks: Readily biodegradable
Bioaccumulative potentia	I
Components:	
<b>67-64-1:</b> Partition coefficient: n- octanol/water	log Pow: -0.24
<b>Mobility in soil</b> No data available	
Other adverse effects No data available	
Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App. <i>I</i> + B).
Additional ecological in- formation	No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

## **Disposal methods**

Waste from residues	Dispose of in accordance with all applicable local,
	state and federal regulations.

Dispose of Do not re-	naining contents. f as unused product. fuse empty containers. rn, or use a cutting torch on, the empty
--------------------------	---

### **SECTION 14. TRANSPORT INFORMATION**

IATA (International Air Transport Association): UN1090, ACETONE, 3, II, Flash Point:-18 - -17 °C(-0.40 - 1 °F)

IMDG (International Maritime Dangerous Goods): UN1090, ACETONE, 3, II

DOT (Department of Transportation): UN1090, ACETONE, 3, II

#### **SECTION 15. REGULATORY INFORMATION**

OSHA Hazards	Flammable liquid, Moderate eye irritant, Specific target organ toxicity - single exposure	
WHMIS Classification	B2: Flammable liquid D2B: Toxic Material Causing Other Toxic Effects	

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RO (lbs)	Calculated product RQ (lbs)
Acetone	67-64-1	5000	5000

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312	Fire Hazard
Hazards	Immediate (Acute) Health Hazard
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313	This material does not contain any nents with known CAS numbers th threshold (De Minimis) reporting le SARA Title III, Section 313.	at exceed the	
Clean Air ActThis product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489): $67-64-1$ Acetone100 %Clean Water Act Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:			
71-43-2**Benzene0.003 %The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section311, Table 117.3:71-43-2**Benzene0.003 %This product does not contain any toxic pollutants listed under the U.S. Clean WaterAct Section 307			
US State Regulations			
Massachusetts Right To Ki 67-64-1		90 - 100 %	
71-43-2	Acetone **Benzene	0 - 0.1 %	
		0 0.1 /0	
Pennsylvania Right To Kno 67-64-1		00 100 %	
07-04-1	Acetone	90 - 100 %	
New Jersey Right To Know			
67-64-1	Acetone	90 - 100 %	
California Prop 65 71-43-2	the State of California to cause cancer. 71-43-2 **Benzene WARNING! This product contains a chemical known to the State of California to cause birth defects or other		
reproductive harm. 71-43-2 **Benzene			


The components of this product are reported in the following inventories:

United States TSCA Inventory	y (positive listing) (On TSCA Invento- ry)
Canadian Domestic Substances List (DSL)	y (positive listing)

	(All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	y (positive listing) (On the inventory, or in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	y (positive listing) (On the inventory, or in compliance with the inventory)

Special Notes:

\*\* Other substances in the product which may present a health or environmental hazard.



The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

### Legacy SDS: R0004335

#### Material number:

16045424, 16034875, 16066700, 16066699, 16066718, 16066717, 16101394, 16098884, 16075697, 16071303, 16070561, 16070557, 16069569, 16055833, 16055832, 16055831, 16055830, 16055829, 16062035, 16053090, 16050725, 16050368, 16049710, 16046507, 16045896, 16040423, 16038301, 16024443, 16024442, 16017790, 772814, 772813, 770579, 746703, 743460, 731755, 722683, 716725, 714790, 714016, 53967, 143817, 699233, 694280, 669662, 657544, 640730, 632517, 632516, 622972, 610607, 602401, 601081, 590044, 588482, 579567, 577332, 570345, 554132, 554043, 554368, 554299, 554204, 554084, 554042, 556643, 546857, 508583, 69081, 102957, 52701, 86730, 86576, 86729, 86575, 85459, 70349, 70195, 102439, 69676, 101837, 103107, 86726, 102776, 101843, 86578, 85462, 86731, 70348, 70194, 86057, 69078, 53968, 53814, 85456, 167020, 158363, 107921, 86736, 103057

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Gov-	LD50	Lethal Dose 50%
	ernment Industrial Hygienists		
AICS	Australia, Inventory of Chem-	LOAEL	Lowest Observed Adverse Effect
	ical Substances		Level
DSL	Canada, Domestic Substanc-	NFPA	National Fire Protection Agency

es List		
Canada, Non-Domestic Sub-	NIOSH	National Institute for Occupational
stances List		Safety & Health
Central Nervous System	NTP	National Toxicology Program
Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
Effective Concentration	NOAEL	No Observable Adverse Effect Level
Effective Concentration 50%	NOEC	No Observed Effect Concentration
EOSCA Generic Exposure	OSHA	Occupational Safety & Health Admin-
Scenario Tool		istration
European Oilfield Specialty	PEL	Permissible Exposure Limit
Chemicals Association		
European Inventory of Exist-	PICCS	Philipines Inventory of Commercial
ing Chemical Substances		Chemical Substances
Germany Maximum Concen-	PRNT	Presumed Not Toxic
tration Values		
Globally Harmonized System	RCRA	Resource Conservation Recovery Act
Greater Than or Equal To	STEL	Short-term Exposure Limit
Inhibition Concentration 50%	SARA	Superfund Amendments and Reau-
		thorization Act.
International Agency for Re-	TLV	Threshold Limit Value
search on Cancer		
Inventory of Existing Chemi-	AWT	Time Weighted Average
cal Substances in China		
Japan, Inventory of Existing	TSCA	Toxic Substance Control Act
and New Chemical Substanc-		
es		
Korea, Existing Chemical In-	UVCB	Unknown or Variable Compositon,
ventory		Complex Reaction Products, and
		Biological Materials
Less Than or Equal To	WHMIS	Workplace Hazardous Materials In-
		formation System
		centration 50%
	Canada, Non-Domestic Sub- stances List Central Nervous System Chemical Abstract Service Effective Concentration Effective Concentration 50% EOSCA Generic Exposure Scenario Tool European Oilfield Specialty Chemicals Association European Inventory of Exist- ing Chemical Substances Germany Maximum Concen- tration Values Globally Harmonized System Greater Than or Equal To Inhibition Concentration 50% International Agency for Re- search on Cancer Inventory of Existing Chemi- cal Substances in China Japan, Inventory of Existing and New Chemical Substanc- es Korea, Existing Chemical In- ventory	Canada, Non-Domestic Sub- stances ListNIOSHCentral Nervous SystemNTPChemical Abstract ServiceNZIoCEffective ConcentrationNOAELEffective Concentration 50%NOECEOSCA Generic Exposure Scenario ToolOSHAEuropean Oilfield Specialty Chemicals AssociationPELEuropean Inventory of Exist- ing Chemical SubstancesPICCSGermany Maximum Concen- tration ValuesPRNTGlobally Harmonized SystemRCRAGreater Than or Equal To Inhibition Concentration 50%SARAInternational Agency for Re- search on CancerTWAJapan, Inventory of Existing and New Chemical Substance- esTSCAKorea, Existing Chemical In- ventoryUVCBLess Than or Equal ToWHMIS