Safety Data Sheet

acc. to OSHA HCS Printing date 04/09/2018

1 Identification

- · Product identifier
- · Trade name: 3300 Advantage Gun Cleaner
- · Article number: 3300
- · Application of the substance / the mixture Instrument cleaner
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

*

Manufactured for: IAMG International Autobody Marketing Group, 1505 North Hayden Road, Ste.111, Scottsdale, AZ 85257 Information phone: 480.451.4451

- · Information department: 1-87-REFINISH
- Emergency telephone number: CHEMTREC 1-800-424-9300

identification	
G	HS02 GHS04 Flame, Gas cylinder
, and a second s	
1 H222	Extremely flammable aerosol.
GHS04 Gas cyl	linder
H280	Contains gas under pressure; may explode if heated.
GHS08 Health	hazard
H361	Suspected of damaging fertility or the unborn child.
H372-H373	Causes damage to organs through prolonged or repeated exposure. May cause damage to the central nervous system through prolonged or repeated exposure.
H304	May be fatal if swallowed and enters airways.
GHS07	
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
	n of the substa GHS04 Gas cy H280 GHS08 Health H361 H361 H372-H373 H304 GHS07 H315

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).


Reviewed on 11/03/2015

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

Reviewed on 11/03/2015

(Contd. of page 1)





- · Signal word Danger
- · Hazard-determining components of labeling:

acetone

Solvent naphtha (petroleum), medium aliph. toluene

propan-2-ol

Hazard statements

- H222 Extremely flammable aerosol.
- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H336 May cause drowsiness or dizziness.
- H372-H373 Causes damage to organs through prolonged or repeated exposure. May cause damage to the central nervous system through prolonged or repeated exposure.
- H304 May be fatal if swallowed and enters airways.

Precautionary sta	itements
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Pressurized container: Do not pierce or burn, even after use.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P331	Do NOT induce vomiting.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

(Contd. on page 3) USA

Printing date 04/09/2018

P501

Trade name: 3300 Advantage Gun Cleaner

(Contd. of page 2)

Page 3/15

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- NFPA ratings (scale 0 4)



Health = 2Fire = 4 Reactivity = 3

· HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description:

Mixture: consisting of the following components. Weight percentages

· Dangerous components:

Bungeroue	compensation	
68476-86-8	Petroleum gases, liquefied, sweetened	13-30%
67-64-1	acetone	13-30%
1330-20-7	xylene	13-30%
64742-88-7	Solvent naphtha (petroleum), medium aliph.	≥7-<10%
111-76-2	2-butoxyethanol	5-7%
108-88-3	toluene	5-7%
67-63-0	propan-2-ol	1.5-5%
123-86-4	n-butyl acetate	1.5-5%

4 First-aid measures

· Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 4)

USA

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

(Contd. of page 3)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

o Accidental Telease Ineasures	
 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	
· PAC-1:	
67-64-1 acetone	200 ppm
1330-20-7 xylene	130 ppm
111-76-2 2-butoxyethanol	60 ppm
108-88-3 toluene	67 ppm
67-63-0 propan-2-ol	400 ppm
123-86-4 n-butyl acetate	5 ppm
· PAC-2:	
67-64-1 acetone	3200* ppm
1330-20-7 xylene	920* ppm
111-76-2 2-butoxyethanol	120 ppm
108-88-3 toluene	560 ppm
67-63-0 propan-2-ol	2000* ppm
123-86-4 n-butyl acetate	200 ppm
· PAC-3:	
67-64-1 acetone	5700* ppm
1330-20-7 xylene	2500* ppm
111-76-2 2-butoxyethanol	700 ppm
108-88-3 toluene	3700* ppm
67-63-0 propan-2-ol	12000** ppm
	(Contd. on page 5)
	USA

Drinting data 04/00/0010

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

Reviewed on 11/03/2015

(Contd. of page 4) 3000* ppm

123-86-4 n-butyl acetate

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires:
- Do not spray on a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Observe official regulations on storing packagings with pressurized containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-64-1 acetone

- PEL Long-term value: 2400 mg/m³, 1000 ppm
- REL Long-term value: 590 mg/m³, 250 ppm
- TLV Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI

1330-20-7 xylene

- PEL Long-term value: 435 mg/m³, 100 ppm
- REL Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm
- TLV Short-term value: 651 mg/m³, 150 ppm Long-term value: 434 mg/m³, 100 ppm BEI

111-76-2 2-butoxyethanol

- PEL Long-term value: 240 mg/m³, 50 ppm Skin
- REL Long-term value: 24 mg/m³, 5 ppm Skin
- TLV Long-term value: 97 mg/m³, 20 ppm BEI

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

108-88-3 toluene

PEL Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift

- REL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm
- TLV Long-term value: 75 mg/m³, 20 ppm BEI

67-63-0 propan-2-ol

- PEL Long-term value: 980 mg/m³, 400 ppm
- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

123-86-4 n-butyl acetate

- PEL Long-term value: 710 mg/m³, 150 ppm
- REL Long-term value: 950 mg/m³, 200 ppm
- TLV Short-term value: 712 mg/m³, 150 ppm Long-term value: 238 mg/m³, 50 ppm

· Ingredients with biological limit values:

67-64-1 acetone

BEI 50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)

1330-20-7 xylene

BEI 1.5 g/g creatinine Medium: urine Time: end of shift Parameter: Methylhippuric acids

111-76-2 2-butoxyethanol

BEI 200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid with hydrolysis

> (Contd. on page 7) USA

Reviewed on 11/03/2015

(Contd. of page 5)

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

Reviewed on 11/03/2015

(Contd. of page 6)

108-88-3 toluene

BEI 0.02 mg/L Medium: blood Time: prior to last shift of workweek Parameter: Toluene

> 0.03 mg/L Medium: urine Time: end of shift Parameter: Toluene

0.3 mg/g creatinine Medium: urine Time: end of shift Parameter: o-Cresol with hydrolysis (background)

67-63-0 propan-2-ol

BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 8) USA

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

Reviewed on 11/03/2015

(Contd. of page 7)





Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and cl General Information 	hemical properties
 Appearance: Form: Color: Odor: Odor threshold: 	Aerosol According to product specification Characteristic Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 55 $^{\circ}$ C
· Flash point:	-103 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	240 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
· Explosion limits: Lower: Upper:	1.1 Vol % 13 Vol %
· Vapor pressure at 20 ℃:	233 hPa
 Density at 20 ℃: Relative density Vapor density Evaporation rate 	0.7268 g/cm ³ Not determined. Not determined. Not applicable.
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.

(Contd. on page 9) USA

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

Reviewed on 11/03/2015

(Contd. of page 8)

 Solvent content: 	
Organic solvents:	
VOC content:	

Solids content: • Other information 100.0 % 75.25 % 708.2 g/l / 5.91 lb/gl 0.0 % No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

1330-20-7 xylene

 Oral
 LD50
 4,300 mg/kg (rat)

 Dermal
 LD50
 2,000 mg/kg (rabbit)

64742-88-7 Solvent naphtha (petroleum), medium aliph.

Oral	LD50	>6,500 mg/kg (rat)
Dermal	LD50	>3,000 mg/kg (rab)

Inhalative LC50/4 h >14 mg/l (rat)

108-88-3 toluene

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	12,124 mg/kg (rabbit)
Inhalative	LC50/4 h	5,320 mg/l (mouse)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

1330-20-7 xylene

111-76-2 2-butoxyethanol

Printing date 04/09/2018

Reviewed on 11/03/2015

Trade name: 3300 Advantage Gun Cleaner

(Contd. of page 9) 3 3

Page 10/15

108-88-3 toluene 67-63-0 propan-2-ol

• **NTP (National Toxicology Program)** None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small guantities leak into the ground.

- Danger to drinking water it even small quantities leak into the g
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA
- · UN proper shipping name
- · DOT
- · ADR
- · IMDG
- · IATA

UN1950

Aerosols, flammable 1950 Aerosols AEROSOLS AEROSOLS, flammable

> (Contd. on page 11) USA

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

Reviewed on 11/03/2015

(Contd. of page 10)

· Transport hazard class(es)	
- DOT	
· Class · Label · ADR	2.1 2.1
· Class · Label	2 5F Gases 2.1
IMDG, IATA	
· Class · Label	2.1 2.1
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
Special precautions for user EMS Number: Stowage Code	Warning: Gases F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
• Transport in bulk according to Annex II (of Not applicable

MARPOL73/78 and the IBC Code

Not applicable.

(Contd. on page 12) USA

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

Reviewed on 11/03/2015

(Contd. of page 11)

- · Transport/Additional information:
- ·DOT
- Quantity limitations
- · ADR
- · Excepted quantities (EQ)

·IMDG

- · Limited quantities (LQ)
- · Excepted quantities (EQ)

· UN "Model Regulation":

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- Section 355 (extremely hazardous substances): None of the ingredient is listed.
- · Section 313 (Specific toxic chemical listings):
- 1330-20-7 xylene 111-76-2 2-butoxyethanol 108-88-3 toluene 67-63-0 propan-2-ol
- · TSCA (Toxic Substances Control Act):
 - 67-64-1 acetone
 - 1330-20-7 xylene
- 64742-88-7 Solvent naphtha (petroleum), medium aliph.
 - 111-76-2 2-butoxyethanol
 - 108-88-3 toluene
 - 67-63-0 propan-2-ol
 - 123-86-4 n-butyl acetate
- · TSCA new (21st Century Act) (Substances not listed)

68476-86-8 Petroleum gases, liquefied, sweetened

- · Proposition 65
- Chemicals known to cause cancer: 1330-20-7 xylene
- Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
- Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
- Chemicals known to cause developmental toxicity: 108-88-3 toluene

On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg

Code: E0 Not permitted as Excepted Quantity

1L Code: E0 Not permitted as Excepted Quantity UN 1950 AEROSOLS, 2.1

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

	(Contd. of page 12)
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
67-64-1 acetone	1
1330-20-7 xylene	1
111-76-2 2-butoxyethanol	NL
108-88-3 toluene	11
· TLV (Threshold Limit Value established by ACGIH)	
67-64-1 acetone	A4
1330-20-7 xylene	A4
111-76-2 2-butoxyethanol	A3
108-88-3 toluene	A4
67-63-0 propan-2-ol	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:

acetone

Solvent naphtha (petroleum), medium aliph. toluene

propan-2-ol

Hazard statements

H222 Extremely flammable aerosol.

- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H336 May cause drowsiness or dizziness.
- H372-H373 Causes damage to organs through prolonged or repeated exposure. May cause damage to the central nervous system through prolonged or repeated exposure.
- H304 May be fatal if swallowed and enters airways.

· Precautionary statements

- P201 Obtain special instructions before use.P202 Do not handle until all safety precautions have been read and understood.
- P202 Do not handle until all safety precautions have been read and understood P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P210 Reep away from flear sparks/open flames/fibit surfaces. N P211 Do not spray on an open flame or other ignition source.
- P251 Pressurized container: Do not pierce or burn, even after use.
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.

(Contd. on page 14) USA

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

(Contd. of page 13)

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P331	Do NOT induce vomiting.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}C/122$ $^{\circ}F.$
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: 1-480-451-4451 Lloyd Fields
- · Date of preparation / last revision 04/09/2018 / 9

 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Aerosol 1: Aerosols - Category 1 Press. Gas: Gases under pressure - Compressed gas (Contd. on page 15) USA

Printing date 04/09/2018

Trade name: 3300 Advantage Gun Cleaner

Page 15/15

Reviewed on 11/03/2015

(Contd. of page 14)

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1 • * **Data compared to the previous version altered.**

USA