

SAFETY DATA SHEET

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier Acetone

Other means of identification

Product code FS 5910-1
Recommended use Solvent

Manufacturer/Importer/Supplier/Distributor information

Company name INTERNATIONAL AUTOBODY MARKETING GROUP

Address 1505 NORTH HAYDEN RD, SUITE 111

SCOTTSDALE, AZ 85257

UNITED STATES

Website www.5starxtreme.com

Telephone 1-87-REFINISH

480.451.4451

Emergency phone number 800-424-9300 ChemTrec EMERGENCY 24 Hrs.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids Category 2

Eye irritation Category 2A

Specific target organ tox-

icity - single exposure

Category 3 (Central nervous system)

GHS Label element

Hazard pictograms





Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharae.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ sprav.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC No component of this product present at levels greater

than or equal to 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC.

ACGIH No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by ACGIH.

OSHANo component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

NTP No component of this product present at levels greater

than or equal to 0.1% is identified as a known or antici-

pated carcinogen by NTP.

Emergency Overview

Appearance	liquid
Colour	Clear, Colorless
Odour	sweet, aromatic
Hazard Summary	No information available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

CAS-No.	Chemical Name	Concentration %
67-64-1	Acetone	90 - 100

SECTION 4. FIRST AID MEASURES

General advice Move out of dangerous area.

Show this safety data sheet to the doctor in attend-

ance.

Symptoms of poisoning may appear several hours

later.

Do not leave the victim unattended.

If inhaled Consult a physician after significant exposure.

If unconscious place in recovery position and seek

medical advice.

In case of skin contact If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious per-

son.

If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical Water spray

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains

or water courses.

Flash back possible over considerable distance.

Do not allow vapor to accumulate in low or confined

areas.

Hazardous combustion

products

Carbon oxides

Specific extinguishing

methods

Use a water spray to cool fully closed containers.

Further information Collect contaminated fire extinguishing water sepa-

rately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing wa-

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regu-

lations.

For safety reasons in case of fire, cans should be

stored separately in closed containments.

Special protective equip-

ment for firefighters

Wear self-contained breathing apparatus for fire-

fighting if necessary.

Use personal protective equipment.

NFPA Flammable and Combustible Liquids Classification:

Flammable Liquid Class IB

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains

inform respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regula-

tions (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before

use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in

the application area.

Take precautionary measures against static discharg-

es.

Provide sufficient air exchange and/or exhaust in work

rooms.

Container may be opened only under exhaust ventilation hood.

0----

Open drum carefully as content may be under pres-

Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage

No smoking.

Keep container tightly closed in a dry and well-

ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Observe label precautions.

Electrical installations / working materials must com-

ply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
67-64-1	Acetone	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA PO
		STEL	1,000 ppm 2,400 mg/m3	OSHA PO

Biological occupational exposure limits

Components	CAS-No.	Control	Biological	Sam-	Permissi-	Basis
•		parame-	specimen	pling	ble con-	
		ters	'	time	centration	
Acetone	67-64-1	Acetone	Urine	End of	50 mg/l	ACGIH
				shift		BEI
				(As		
				soon as		
				possible		
				after		
				expo-		
				sure		
				ceases)		

Personal protective equipment

Respiratory protection No personal respiratory protective equipment normally

required.

In the case of vapour formation use a respirator with

an approved filter.

Hand protection

Remarks The suitability for a specific workplace should be dis-

cussed with the producers of the protective gloves.

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal pro-

cessing problems.

Skin and body protection impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work

place.

Hygiene measures When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid

Colour Clear, Colorless

Odour sweet, aromatic

Odour Threshold 62 ppm

pH 7 @ 10 g/l 20 - 25 °C (68 - 77 °F)

Freezing Point (Melting

point/range)

-95.35 - -93.9 °C (-139.63 - -137.0 °F)

Boiling Point (Boiling

point/boiling range)

56 - 56.05 °C (133 - 132.89 °F)

Flash point -18 - -17 °C (-0.40 - 1 °F)

Evaporation rate 5.6 - 6.06

(Butyl Acetate = 1)

Flammability (solid, gas) No data available

Burning rate No data available

Upper explosion limit 2.5 - 14.30 %(V)

Lower explosion limit 2.6 %(V)

Vapour pressure 180 - 185 mmHg @ 20 °C (68 °F)

600 mmHg @ 50 °C (122 °F)

Relative vapour density 2 @ 20 °C (68 °F)

(Air = 1.0)

Relative density 0.786 - 0.789 @ 20 - 25 °C (68 - 77 °F)

Reference substance: (water = 1)

Density 0.790 - 0.792 g/cm3 @ 20 °C (68 °F)

Bulk density No data available

Solubility(ies)

Water solubility completely miscible

Solubility in other sol-

vents

completely soluble @ 20 °C (68 °F)

Solvent: organic solvents

Partition coefficient: n-

octanol/water

log Pow: -0.24 - -0.2

Auto-ignition temperature 465 - 560 °C

Thermal decomposition No data available

Viscosity

Viscosity, dynamic 0.32 - 0.33 mPa.s @ 20 °C (68 °F)

Viscosity, kinematic 0.337 mm2/s @ 40 °C (104 °F)

Surface tension 22.8 mN/m, 20 °C

Regulatory VOC (lbs/gal) 0.00
Regulatory VOC (g/l) 0.00
Actual VOC (lbs/gal) 6.59

Actual VOC (g/l) 791.00

SECTION 10. STABILITY AND REACTIVITY

Reactivity No dangerous reaction known under conditions of

normal use.

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No hazards to be specially mentioned.

Conditions to avoid Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials Strong oxidizing agents

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

67-64-1:

Acute oral toxicity LD50 (Rat): 5,800 mg/kg

Acute inhalation toxicity LC50 (Rat): 76.0 mg/l

Exposure time: 4 h

Acute dermal toxicity LD50 : > 7,426 mg/kg

Skin corrosion/irritation

Product:

Result: No skin irritation

Components:

67-64-1:

Species: Rabbit Exposure time: 24 h Method: In vivo

Result: Mild skin irritation

Serious eye damage/eye irritation

Product:

Result: Irritating to eyes.

Components:

67-64-1:

Species: Rabbit

Result: Irritating to eyes. Exposure time: 24 h

Respiratory or skin sensitisation

Components:

67-64-1:

Test Type: Maximization test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

67-64-1:

Genotoxicity in vitro Test Type: Mammalian cell gene mutation assay

Test species: Mouse lymphoma cells

Metabolic activation: Without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Metabolic activation: with and without metabolic acti-

vation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro Test species: Chinese hamster ovary (CHO)

Metabolic activation: with and without metabolic acti-

vation

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo Test Type: In vivo micronucleus test

Test species: Mouse Application Route: Oral Exposure time: 13 wk

Dose: 5,000, 10,000, 20,000 ppm

Result: negative

Germ cell mutagenicity-

Assessment

Tests on bacterial or mammalian cell cultures did not

show mutagenic effects.

Carcinogenicity

Components:

67-64-1:

Species: Mouse, (female)
Application Route: Dermal

Exposure time: 365 d (90%) or 424 d (100%) Dose: 0.1ml 90(71mg) or 100% (79mg) Frequency of Treatment: 3 times per wk

NOAEL: 79

Result: did not display carcinogenic properties

Carcinogenicity - As-

sessment

Carcinogenicity classification not possible from current

data.

Reproductive toxicity

Components:

67-64-1:

Effects on fertility

Species: Rat, male Application Route: oral Dose: 0, 5000, 10000 mg/L

Frequency of Treatment: 7 days/week General Toxicity - Parent: LOAEL: 10,000

Fertility: 10,000

Effects on foetal devel-

opment

Species: Rat

Application Route: Inhalation Dose: 0, 440, 2200, 11000 ppm Frequency of Treatment: 7 days/week

General Toxicity Maternal: NOAEC: 2,200 ppm

Teratogenicity: NOAEC: 11,000 ppm

Embryo-foetal toxicity: NOAEC: 2,200 ppm

Method: OECD Test Guideline 414 Result: No teratogenic potential

GLP: No data available

Reproductive toxicity -

Assessment

No evidence of adverse effects on sexual function and

fertility, or on development, based on animal experi-

ments.

STOT - single exposure

Product: No data available

Components:

67-64-1:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

STOT - repeated exposure

Product:No data available

Components:

67-64-1:No data available

Repeated dose toxicity

Components:

67-64-1:

Species: Mouse, male NOAEL: 20000

Application Route: Oral Exposure time: 13 wk Number of exposures: daily

Dose: 1250, 2500, 5000, 10000, 20000 Method: OECD Test Guideline 408

GLP: No data available

Species: Mouse, female

NOAEL: 20000 LOAEL: 50000

Application Route: Oral Exposure time: 13 wk Number of exposures: daily

Dose: 2500, 5000, 10000, 20000, 5000 Method: OECD Test Guideline 408

GLP: No data available

Repeated dose toxicity -

Causes mild skin irritation., Causes serious eye irrita-

Assessment tion.

Aspiration toxicity

Product:

May be harmful if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

67-64-1:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 6,100

mg/l

Exposure time: 48 h

Toxicity to daphnia and

other aquatic inverte- Exposure time: 48 h

brates

Test substance: Acetone

EC50 (Daphnia magna (Water flea)): 7,630 mg/l

Toxicity to algae Remarks: No data available

Persistence and degradability

Components:

67-64-1:

Biodegradability Remarks: Readily biodegradable

Bioaccumulative potential

Components:

67-64-1:

Partition coefficient: n-

octanol/water

log Pow: -0.24

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection

of Stratospheric Ozone - CAA Section 602 Class I Sub-

stances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological in-

formation

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Dispose of in accordance with all applicable local,

state and federal regulations.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty

drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1090, ACETONE, 3, II, Flash Point:-18 - -17 °C(-0.40 - 1 °F)

IMDG (International Maritime Dangerous Goods): UN1090, ACETONE, 3, II

DOT (Department of Transportation): UN1090, ACETONE, 3, II

SECTION 15. REGULATORY INFORMATION

OSHA Hazards Flammable liquid, Moderate eye irritant, Specific

target organ toxicity - single exposure

WHMIS Classification B2: Flammable liquid

D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Acetone	67-64-1	5000	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Fire Hazard

Hazards Immediate (Acute) Health Hazard

SARA 302 No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

100 %

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

67-64-1 Acetone

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

71-43-2 **Benzene 0.003 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

71-43-2 **Benzene 0.003 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

67-64-1	Acetone	90 - 100 %
71-43-2	**Benzene	0 - 0.1 %

Pennsylvania Right To Know

67-64-1 Acetone 90 - 100 %

New Jersey Right To Know

67-64-1 Acetone 90 - 100 %

California Prop 65 WARNING! This product contains a chemical known to

the State of California to cause cancer.

71-43-2 **Benzene

WARNING! This product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

71-43-2 **Benzene

The components of this product are reported in the following inventories:

United States TSCA Inventory	y (positive listing) (On TSCA Invento- ry)
Canadian Domestic Substances List (DSL)	y (positive listing)


	(All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	y (positive listing) (On the inventory, or in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	y (positive listing) (On the inventory, or in compliance with the inventory)

Special Notes: ** Other substances in the product which may present a health or environmental hazard.

SECTION 16. OTHER INFORMATION

Version 2.0

Revision Date 06/20/2019



HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

Legacy SDS: R0004335

Material number:

16045424, 16034875, 16066700, 16066699, 16066718, 16066717, 16101394, 16098884, 16075697, 16071303, 16070561, 16070557, 16069569, 16055833, 16055832, 16055831, 16055830, 16055829, 16062035, 16053090, 16050725, 16050368, 16049710, 16046507, 16045896, 16040423, 16038301, 16024443, 16024442, 16017790, 772814, 772813, 770579, 746703, 743460, 731755, 722683, 716725, 714790, 714016, 53967, 143817, 699233, 694280, 669662, 657544, 640730, 632517, 632516, 622972, 610607, 602401, 601081, 590044, 58482, 579567, 577332, 570345, 554132, 554043, 554368, 554299, 554204, 554084, 554042, 556643, 546857, 508583, 69081, 102957, 52701, 86730, 86576, 86729, 86575, 85459, 70349, 70195, 102439, 69676, 101837, 103107, 86726, 102776, 101843, 86578, 85462, 86731, 70348, 70194, 86057, 69078, 53968, 53814, 85456, 167020, 158363, 107921, 86736, 103057

Key or leg	Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Gov-	LD50	Lethal Dose 50%		
	ernment Industrial Hygienists				
AICS	Australia, Inventory of Chem-	LOAEL	Lowest Observed Adverse Effect		
	ical Substances		Level		
DSL	Canada, Domestic Substanc-	NFPA	National Fire Protection Agency		

	es List		
NDSL	Canada, Non-Domestic Sub- stances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Exist- ing Chemical Substances	PICCS	Philipines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concen- tration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Compositon, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50 Lethal Concentration			ncentration 50%