Printing date 04/09/2018

Reviewed on 11/05/2015

1 Identification

- · Product identifier
- · Trade name: 5953 5-Star Xtreme Premium Waterborne Gun Cleaner
- · Article number: 5953
- · Application of the substance / the mixture Instrument cleaner
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Manufactured for: IAMG International Autobody Marketing Group, 1505 North Hayden Road, Ste.111,

Scottsdale, AZ 85257

Information phone: 480.451.4451

- · Information department: 1-87-REFINISH
- · Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard identification

· Classification of the substance or mixture





GHS02 GHS04 Flame, Gas cylinder

Flammable Aerosols - Category 1

H222 Extremely flammable aerosol.



Gases Under Pressure - Compressed Gas H280 Contains gas under pressure; may explode if heated.



Eye Irritation - Category 2A

H319 Causes serious eye irritation.

- Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02

GHS04

GHS07

- · Signal word Danger
- · Hazard statements

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eve irritation.

(Contd. on page 2)

Trade name: 5953 5-Star Xtreme Premium Waterborne Gun Cleaner

(Contd. of page 1)

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention. P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 4 Reactivity = 3

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- Description:

Mixture: consisting of the following components.

Weight percentages

· Dangerous components:

 115-10-6 dimethyl ether
 10-30% w/w

 67-64-1 acetone
 3-7% w/w

 67-63-0 propan-2-ol
 1-5% w/w

 111-76-2 2-butoxyethanol
 1-5% w/w

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Trade name: 5953 5-Star Xtreme Premium Waterborne Gun Cleaner

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 $^{\circ}$ C, i.e. electric lights. Do not pierce or burn, even after use.

- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

115-10-6 dimethyl ether

EL Long-term value: 1000 ppm

(Contd. on page 4)

Trade name: 5953 5-Star Xtreme Premium Waterborne Gun Cleaner

(Contd. of page 3)

67-64-1 acetone

EL Short-term value: 500 ppm Long-term value: 250 ppm EV Short-term value: 750 ppm Long-term value: 500 ppm

67-63-0 propan-2-ol

EL Short-term value: 400 ppm Long-term value: 200 ppm EV Short-term value: 400 ppm Long-term value: 200 ppm 111-76-2 2-butoxyethanol EL Long-term value: 20 ppm

EV Long-term value: 20 ppm

Skin

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Safety glasses



Tightly sealed goggles

CA

(Contd. on page 5)

Safety Data Sheet Page 5/10

according to HPR, Schedule 1

Printing date 04/09/2018 Reviewed on 11/05/2015

Trade name: 5953 5-Star Xtreme Premium Waterborne Gun Cleaner

(Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Aerosol

Color: According to product specification

Odor: Characteristic
 Odor threshold: Not determined.
 pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: -24~%• Flash point: <-18 %

Flowershills (solid mass and)

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 235 ℃

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

• Danger of explosion: In use, may form flammable/explosive vapour-air mixture.

· Explosion limits:

 Lower:
 3 Vol %

 Upper:
 18.6 Vol %

 ⋅ Vapor pressure at 20 °C:
 5,200 hPa

Density at 20 °C: 0.86698 g/cm³
 Relative density Not determined.
 Vapor density Not determined.
 Evaporation rate Not applicable.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 35.5 %

 Water:
 64.2 %

 VOC content:
 28.80 %

673.9 g/l / 5.62 lb/gl

Solids content: 0.3 %

Other information
 No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

Safety Data Sheet Page 6/10

according to HPR, Schedule 1

Printing date 04/09/2018 Reviewed on 11/05/2015

Trade name: 5953 5-Star Xtreme Premium Waterborne Gun Cleaner

(Contd. of page 5)

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol 3 111-76-2 2-butoxyethanol 3

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Safety Data Sheet according to HPR, Schedule 1

Printing date 04/09/2018 Reviewed on 11/05/2015

UN1950

Aerosols, flammable

1950 Aerosols

Trade name: 5953 5-Star Xtreme Premium Waterborne Gun Cleaner

(Contd. of page 6)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

*14 Transport information

- · UN-Number
- · DOT, TDG, IMDG, IATA

· UN proper shipping name

DOT TDG IMDG

· IMDG AEROSOLS· IATA AEROSOLS, flammable

· Transport hazard class(es)

· DOT



· Class 2.1 • **Label** 2.1

TDG (Transport dangerous goods):



· Class 2 5F Gases *· Label* 2.1

· IMDG, IATA



· Class 2.1 • **Label** 2.1

· Packing group

· DOT, TDG, IMDG, IATA Void

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Gases

· **EMS Number:** F-D,S-U

(Contd. on page 8)

Safety Data Sheet Page 8/10

according to HPR, Schedule 1

Printing date 04/09/2018 Reviewed on 11/05/2015

Trade name: 5953 5-Star Xtreme Premium Waterborne Gun Cleaner

(Contd. of page 7)

Segregation groups Ammonium compounds

Stowage Code SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of

living quarters.

Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre:

Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate

subdivision of class 2.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• Quantity limitations On passenger aircraft/rail: 75 kg

On cargo aircraft only: 150 kg

• **Remarks** ORD-D CFR49-173-150,156,306

· TDG

· Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

· IMDG

• Limited quantities (LQ) 1L • Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

· UN "Model Regulation": UN 1950 AEROSOLS, 2.1

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

111-76-2 2-butoxyethanol

1336-21-6 ammonia solution 26%

107-21-1 ethanediol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Canadian substance listings:
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

(Contd. on page 9)

Trade name: 5953 5-Star Xtreme Premium Waterborne Gun Cleaner

(Contd. of page 8)

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

67-64-1 acetone

67-63-0 propan-2-ol

111-76-2 2-butoxyethanol

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Danger
- · Hazard statements

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention. P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: 1-480-451-4451 Lloyd Fields
- · Date of preparation / last revision 04/09/2018 / 7
- Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

Safety Data Sheet according to HPR, Schedule 1

Printing date 04/09/2018 Reviewed on 11/05/2015

Trade name: 5953 5-Star Xtreme Premium Waterborne Gun Cleaner

(Contd. of page 9)

Page 10/10

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.

CA